
[illegible]

CC BY-NC-SA

□ □ □ □

☆ □ □ □ □ □ □ □ □ □ □ □ □ ☆

[illegible]

[illegible][illegible]

□□	□ □ □	□□	□ □ □ □ □	□ □
□	□ □ □ □ □ □ □ □ □ □ .	□	_____	/
□	□ □ □ □ □ □ □ □ □ □ □ □ □ □ .	□	□ □ □ □ □ — □ □ □ □ — □ □ □	
□	□ □ □ □ □ □ □ □ □ □ □ □	□	□ □ — □ □ — □ □ □ □ □	□

\* □□□  
□□□  
□□□  
□□□□□□□□□□

---

□□□

[illegible]

● □ □ □ □ □ □ □ □ □ □ □ □ □ □

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐



☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐


☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐



[illegible]

⚠️ **Warning:** The following information is for informational purposes only and should not be used for legal or financial advice. Please consult a professional for more information.



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □  
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □  
 □ □

A diagram showing a 3x15 grid of squares. The top row has 15 squares. The middle row has 14 squares, starting from the second column. The bottom row has 10 squares, starting from the second column. A vertical dashed line is on the left.

[illegible]

⚠ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

A close-up photograph of a mechanical assembly, likely a part of a vehicle's suspension or steering system. A black oval highlights a specific component, which appears to be a ball joint or a similar pivot point. The surrounding parts are metallic and show signs of wear and grease.

[illegible]

<http://www.takegawa.co.jp>